

2022

AGATE
TILE AND STONE

SLABS

2022



AGATA SERIES



BORGHINI SERIES



WILD FOREST SERIES



CASSERO SERIES



CELLINI SERIES



ELEGANCE SERIES



ICE JADE SERIES



LUX DEVA SERIES



OCEAN BLUE SERIES



ONICE SERIES




PATAGONIA SERIES



PIETRA SERIES



ST. VINCENT SERIES



STATUARIO SERIES



TATTOO SERIES



TORANO SERIES



CALACATTA SERIES



AGATA BLUE POLISHED

AGATA BLUE



65"X130" 12 mm (162X324 cm)
AGATA BLUE POLISHED SKU: SL0015

- 
Rectified
- 
Thickness
12mm
- 
Polished
- 
Floor Tile





BACKLIT TILE

BORGHINI WHITE





BORGHINI WHITE

48"X104" 6.5 mm (120x260 cm)
Borghini White Polished **SKU:SL0008**





WILD FOREST





Block A



Block B



Block C

Wild Forest



47"X102" 6 mm (120x260 cm)
Wild Forest Grey Polished Mix *SPECIAL ORDER

24"X48" 6 mm (60x120 cm)
Wild Forest Grey Polished Mix SKU:T11103

24"x24" 7 mm (60x60 cm)
Wild Forest Decor Polished SKU:D50602



Rectified



Thickness
6mm



Polished



Floor Tile



Wild Forest Decor Polished 60x60



TATTOO



SOLID
2 cm



Tattoo Black Solid 50x100

Tattoo Black Decor



47"X102" **6 mm** (120x260 cm)
Tattoo Black Decor ***SPECIAL ORDER**



Rectified



Thickness
6mm



Natural



Floor Tile

Tattoo Oxidium Decor



65"X130" **12 mm** (162x324 cm)
Tattoo Oxidium Decor natural SKU: SL0012

48"X104" **6 mm** (120X260cm)
Tattoo Oxidium Decor natural SKU: SL0004



Rectified



Thickness
12mm



Natural



Floor Tile





CASSERO

walls: CASSERO Grey & White natural 120x300
floor: CASSERO Anthracite natural 120x120





walls: CASSERO Grey natural 120x300
furniture: PATAGONIA Grey polished
floor: CASSERO Grey natural 120x300



walls: CASSERO Grey natural 60x120
floor: CASSERO White natural 60x120



wall

s: CASSERO Grey & White natural 120x300

floor: EMOTION Grey natural 120x260

floor ext: EMOTION Grey Solid 2CM 50x150



walls and floor: CASSERO Grey natural 120x300
furniture: EMOTION Grey natural




Rectified


Thickness
6mm



Natural


Floor Tile

47"X118" 6 mm(120x300 cm)

Cassero Grey Natural

*SPECIAL ORDER




Rectified


Thickness
7mm


Natural


Floor Tile

24"X48" 7 mm(60x120 cm)

Cassero Grey Natural

SKU: T11228




Rectified


Thickness
7mm


Natural


Floor Tile

24"X48" 7 mm(60x120 cm)

Cassero Anthracite Natural

SKU: T11227



CELLINI



Rvto. / Wall / Rvtm.: Cellini Blanco 60x120 Leviglass
Pvto. / Floor / Sol: Cellini Blanco 120x120 Leviglass

CELLINI



48"X104" 6 mm (120x260 cm)
Wild Forest Grey Polished Mix SKU: SL0002





ELEGANCE BOOKMATCH

Elegance White Polished Bookmatch



* Elegance White Polished Bookmatch 120x260 block A & block B are not sold separately



Rectified



Thickness
6mm



Polished



Floor Tile

48"X104" 6 mm	(120x260 cm)
Elegance White Polished Bookmatch A	SKU:SL0009
Elegance White Polished Bookmatch B	SKU:SL0010



Elegance White Polished 120x260 & St, Vincent Anthracite Natural 120x120



ICE JADE



Ice Jade Green Polished



47"x102" 6 mm	(120x260 cm)
ICE JADE GREEN POLISHED MIX	*SPECIAL ORDER

60x120 6 mm	(60x120cm)
Ice Jade Green Polished	SKU:T11106



Rectified



Thickness
7mm



Polished



Floor Tile



LEX DEVA



LEX DEVA



48"X104" 6 mm	(120x260 cm)
Lux Deva Nero Polished	SKU:SL0003
24"X48" 6 mm	(120x260 cm)
Lux Deva Nero Glossy	SKU:T11233





OCEAN BLUE



Ocean Blue Polished



160x320 **6 mm** (160x320 cm - 62.99"x125.98")
Ocean Blue Polished ***SPECIAL ORDER**
60x120 **7 mm**
Ocean Blue Polished SKU:T11104

24"x24" **7 mm** (60x60cm)
Ocean Blue Decor Polished SKU:D50603



- 
Rectified
- 
Thickness
7mm
- 
Polished
- 
Floor Tile





ONICE



Onice Salmon Polished 120x300 & Onice Salmon Natural 60x60




Onice Green Polished 120x300







Onice Green Polished



36"X36" 7 mm (90x90 cm)
Onice Green Polished SKU:T11116



Rectified



Thickness
7mm



Polished



Floor Tile

Onice Salmón Natural & Polished



47"X118" 6 mm (120x300 cm)
Onice Salmon Polished *SPECIAL ORDER
36"X36" 7 mm (90x90 cm)
Onice Salmon Polished SKU:T11115



Rectified



Thickness
7mm



Polished



Floor Tile

Onice Ambar Decor Polished



36"x36" 7 mm (90x90cm)
Onice Ambar Decor Polished SKU:D50604



Rectified



Thickness
7mm



Polished



Floor Tile



PATAGONIA

*SPECIAL ORDER



walls: CASSERO Grey natural 120x300
furniture: PATAGONIA Grey polished
floor: CASSERO Grey natural 120x300





BACKLIT TILE

BOOKMATCH TILE

STATUARIO



2022

AGATE
TILE AND STONE

slabs
Linetop



Statuario Extra White Natural Bookmatch 162x324

2022

AGATE
TILE AND STONE

slabs
Lineup



CAFE MENU	
COFFEE AND CROISSANT	
BREAKFAST	DESSERTS
Fried eggs (200 g)	Tiramisu (150 g)
Croissant with Jam (200 g)	Chocolate cake (150 g)
Croissant with Ham (200 g)	Caramel cake (150 g)
	Walnut cake (150 g)
HOT DRINKS	Apple strudel (250 g)
Espresso (80 ml)	Eclair (100 g)
Cappuccino (180 ml)	FRESH JUICES
Coffee Latte (250 ml)	Orange (250 g)
Cold Coffee (250 ml)	Pineapple (250 g)
Black Tea (400 ml)	Grapefruit (250 g)
Green Tea (400 ml)	Apple (250 g)
Milk (250 ml)	
free wifi and daily press	




Statuario Extra White Natural & Polished



65"X130" 12 mm	(162x324 cm)
Statuario Extra White Polished BI-A	SKU:SL0013
Statuario Extra White Polished BI-B	SKU:SL0014
48"X104 6.5 mm	(120x264 cm)
Statuario Extra White Polished BI-A Bookmatch	SKU:SL0006
Statuario Extra White Polished BI-B Bookmatch	SKU:SL0007

Statuario Extra White Bookmatch



* Statuario Extra White Bookmatch 120x260 block A & block B are not sold separately



PIETRA

PIETRA GREY Polished



64"X128" 6 mm	(162x324 cm)
Pietra Grey Polished	*SPECIAL ORDER
48"X104" 6.5 mm	(120X260 cm)
Pietra Grey Polished	SKU:SL0005


Rectified


Thickness
6mm


Polished


Floor Tile





ST. VINCENT





SOLID
2 cm

St. Vincent Polished



65"X130" 12 mm (162x324 cm)
St. Vincent Anthracite Polished SKU: SL0011

- 
Rectified
- 
Thickness
12mm
- 
Polished
- 
Floor Tile







TORANO DORADO



Torano Dorado Polished



48"X104" 6 mm (120x260 cm)
Torano Dorado Polished SKU:SL0001



2022

AGATE
TILE AND STONE

slabs
Linetop

Size

162x324
162x324 cm
63.8"x127.6"


Finishes

Natural & Polished



Thickness

12 mm

Linetop pieces are in full size non rectified



Tattoo Oxidum Decor
Statuario Extra White
Bookmatch Natural
Statuario Extra White
Bookmatch Polished
Calacatta Lincoln Natural
Calacatta Lincoln Polished
Agata Blue
Pietra Grey Natural &
Polished St. Vincent
Anthracite Natural St.
Vincent Anthracite Polished
Super White Natural
Super White Polished



Color resistance to light




Frost resistant



Humidity resistance




Resistance to staining



UV resistant




Heat resistant




Resistant to mould
and bacteria




Easy cleaning



Thermal shock resistant



Dimensional stability



Resistant to abrasion



Chemical resistant





Tattoo Oxidum Decor



Equinox Grey Natural



Statuario Extra White Natural



Statuario Extra White Polished



Calacatta Lincoln Polished



Agata Blue Polished



Pietra Grey



St. Vincent Anthracite



Calacatta Lincoln Natural



Super White Natural



Super White Polished




Super Black Natural

Washbasins


NIAGARA (one side drain) L 180 x W 50 x H 12 cm

	L-180
Natural	G-2988
Polished	G-2994




BLOCK (all sides drain) L 80/120/180 x W 45 x H 12 cm

	L-80	L-120	L-180
Natural	G-2980	G-2984	G-2988
Polished	G-2986	G-2990	G-2994




SIMPLE (one side drain) L 80/120/180 x W 45 x H 12 cm

	L-80	L-120	L-180
Natural	G-2978	G-2978	G-2982
Polished	G-2984	G-2984	G-2988




BASIC (all sides drain) L 80/120/180 x W 45 x H 12 cm

	L-80	L-120	L-180
Natural	G-2976	G-2976	G-2980
Polished	G-2982	G-2982	G-2986



FREE STANDING (all sides drain) L 45 x W 45 x H 90 cm

	L-45
Natural	G-2976
Polished	G-2984




Colors



Tattoo Oxidum
Decor




Equinox Grey
Natural



Statuario Extra White
Natural & Polished



Pietra Grey
Natural & Polished




St. Vincent Anthracite
Natural & Polished



Calacatta Lincoln
Natural & Polished



Agata Blue
Polished



Super White
Natural & Polished



Super Black
Natural



Specs

Polished

TECHNICAL CHARACTERISTICS		STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	SLABS VALUE
MEASUREMENTS SURFACE APPEARANCE				
	NOMINAL THICKNESS			6,5mm - 1/4"
	LENGTH AND WIDTH	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
	THICKNESS	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 5.0 %
	ORTHOGONALITY	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
	SURFACE FLATNESS	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES				
	WATER ABSORPTION	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
	MODULUS OF RUPTURE	UNE - EN ISO 10545 - 4	> 35 N/mm²	>50 N/mm²
	BREAKING STRENGTH	UNE - EN ISO 10545 - 4	> 700 N	>1600 N
	RESISTANCE TO DEEP ABRASION	UNE - EN ISO 10545 - 6	< 175 mm³	<170mm³
	TEMPERATURE SHOCK RESISTANCE	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE	Resistant
	RESISTANCE TO COLD	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
	ANTI-SLIP	DIN 51130	-	-
		DIN 51097	-	-
		UNE 41901-EX	-	-
		ANSI A326.3	-	-
		BS 7976	-	-
	COLOUR RESISTANCE TO LIGHT	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS	NO ALTERATIONS
CHEMICAL PROPERTIES				
	CHEMICAL RESISTANCE	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS Min. UB/GB	Min. GA /UA
	RESISTANCE TO STAINING	UNE - EN ISO 10545 - 14	Min.3	Min. 4

General information

Recommended information

All products receive a protective coating to prevent possible attacks during their placement in the implementation process at work. This protection should be completely removed resulting in clean material. Please consult our commercial network if you have any questions regarding recommended cleaning for our products.

APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.


Specs

Natural

TECHNICAL CHARACTERISTICS		STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	SLABS VALUE
MEASUREMENTS SURFACE APPEARANCE				
	NOMINAL THICKNESS/			6,5mm - 1/4"
	LENGTH AND WIDTH	UNE - EN ISO 10545 - 2	+/- 0.6 % max	+/- 0.2 %
	THICKNESS	UNE - EN ISO 10545 - 2	+/- 5.0 % max	+/- 5.0 %
	ORTHOGONALITY	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
	SURFACE FLATNESS	UNE - EN ISO 10545 - 2	+/- 0.5 % max	+/- 0.2 %
PHYSICAL PROPERTIES				
	WATER ABSORPTION	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
	BENDING RESISTANCE	UNE - EN ISO 10545 - 4	> 35 N/mm²	>50 N/mm²
	BREAKING STRENGTH	UNE - EN ISO 10545 - 4	> 700 N	>1600 N
	RESISTANCE TO DEEP ABRASION	UNE - EN ISO 10545 - 6	< 175 mm³	<170mm³
	TEMPERATURE SHOCK RESISTANCE	UNE - EN ISO 10545 - 9	NO SURFACE DEFECTS SHOULD BE VISIBLE	Resistant
	RESISTANCE TO COLD	UNE - EN ISO 10545 - 12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
	ANTI-SLIP	DIN 51130	-	See table
		DIN 51097	-	-
		UNE 41901-EX	-	-
		ANSI A326.3	-	-
		BS 7976	-	-
	COLOUR RESISTANCE TO LIGHT	DIN 51094	THERE SHOULD BE NO COLOUR VARIATIONS	NO ALTERATIONS
CHEMICAL PROPERTIES				
	CHEMICAL RESISTANCE	UNE - EN ISO 10545 - 13	RESISTANCE TO CHEMICAL PRODUCTS Min. UB/GB	Min. GA /UA
	RESISTANCE TO STAINING	UNE - EN ISO 10545 - 14	Min.3	Min. 4

Tests for polished finish characteristics done in Statuario White Polished 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.

Tests for natural finish characteristics done in Tattoo Oxidum Decor 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.



Statuario White Polished



Tattoo Oxidum Decor

AGATE

TILE AND STONE

West Location (HEAD OFFICE)

18411 - 104 Avenue Edmonton,
AB T5S 2V8

Ph: 780-962-4500

Fx: 780-487-2707

Email: admin@agatetile.ca

Acheson Warehouse

Northview Business Park II,
9660 266 st,
Acheson, AB T7X 5A3

Ph: 780-962-4500

Fx: 780-962-4512

(Shipping & Receiving)